

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	630159	compress\$4 and compression	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:00
2	BRS	L2	309	((compress\$4 and (compression near method)) same record)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:12
3	BRS	L3	104	2 and (decompress\$4 or de-compress\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:41
4	BRS	L4	2	3 and classify\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:42
5	BRS	L5	6636	((compress\$4 and compression) same record)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:41

*level  
high*

*Choder (decompress)  
decompress/decompress*

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L7	1	6 and classify\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:11
7	BRS	L6	18	5 and (decompress\$4 or de-compress\$4) near9 faster	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:46
8	BRS	L8	1431	5 and (decompress\$4 or de-compress\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:05
9	BRS	L9	78	8 and classify\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:13
10	BRS	L10	0	9 and 707/102.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:48

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	15	8 and 707/102.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:51
12	BRS	L12	0	11 and second adj compression	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:50
13	BRS	L13	60	8 and second adj compression	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:57
14	BRS	L14	3	13 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 07:56
15	BRS	L15	5	13 and (search\$4 or quer\$6) near9 record	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:07

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	210	5 and (decompress\$4 or de-compress\$4) and classif\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/20 08:16
17	BRS	L17	40	16 and (search\$4 or quer\$6) near9 record	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/20 07:55
18	BRS	L18	9	17 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/20 07:56
19	BRS	L19	2	18 and second\$6 adj compress\$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/20 08:00
20	BRS	L20	5705	compression and (second\$5 adj compression)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/10/20 08:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	53	compression and (second\$5 adj compression adj method)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:02
22	BRS	L22	1	21 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:02
23	BRS	L23	30	20 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:13
24	BRS	L24	6145	compression and ((second or next) adj compression)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:04
25	BRS	L25	34	24 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:05

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L26	16	25 and (decompress\$4 or de-compress\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:06
27	BRS	L27	14	26 and (database or (data adj base) or data-base)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:06
28	BRS	L28	13	26 and (database or (data adj base) or data-base) and record	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:07
29	BRS	L29	9	28 and (search\$4 or quer\$6) near9 (key or record)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:13
30	BRS	L30	0	25 and classify\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:11

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L31	1	23 and classify\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:11
32	BRS	L32	6636	1 and ((compress\$4 and compression ) same record)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:13
33	BRS	L33	205	32 and classify\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:14
34	BRS	L35	0	34 and (search\$4 or quer\$6) near9 (key and record)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:13
35	BRS	L34	16	33 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:15

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	96	32 and classify\$5 with (record or data or information)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:15
37	BRS	L37	7	36 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:15
38	BRS	L38	2	37 and (decompress\$4 or de-compress\$4) and classif\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/10/20 08:17



L Number	Hits	Search Text	DB	Time stamp
1	630159	compress\$4 and compression	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:00
2	309	((compress\$4 and (compression near method)) same record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:12
3	104	((compress\$4 and (compression near method)) same record) ) and (decompress\$4 or de-compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:41
4	2	((compress\$4 and (compression near method)) same record) ) and (decompress\$4 or de-compress\$4)) and classify\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:42
5	6636	((compress\$4 and compression) same record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:41
7	1	((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4) near9 faster) and classify\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:11
6	18	((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4) near9 faster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:46
8	1431	((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:05
9	78	((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4)) and classify\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:13
10	0	((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4)) and classify\$5) and 707/102.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:48
11	15	((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4)) and 707/102.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:51
12	0	((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4)) and 707/102.ccls.) and second adj compression	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:50
13	60	((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4)) and second adj compression .	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:57

14	3	((((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4)) and second adj compression) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:56
15	5	((((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4)) and second adj compression) and (search\$4 or quer\$6) near9 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:07
16	210	(((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4) and classif\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:16
17	40	((((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4) and classif\$6) and (search\$4 or quer\$6) near9 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:55
18	9	((((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4) and classif\$6) and (search\$4 or quer\$6) near9 record) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:56
19	2	((((compress\$4 and compression) same record) ) and (decompress\$4 or de-compress\$4) and classif\$6) and (search\$4 or quer\$6) near9 record) and 707/\$.ccls.) and second\$6 adj compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:00
20	5705	compression and (second\$5 adj compression)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:04
21	53	compression and (second\$5 adj compression adj method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:02
22	1	( compression and (second\$5 adj compression adj method)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:02
23	30	( compression and (second\$5 adj compression)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:13
24	6145	compression and ((second or next) adj compression)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:04
25	34	( compression and ((second or next) adj compression)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:05
26	16	(( compression and ((second or next) adj compression)) and 707/\$.ccls.) and (decompress\$4 or de-compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:06

27	14	(( compression and ((second or next) adj compression)) and 707/\$.ccls.) and (decompress\$4 or de-compress\$4)) and (database or (data adj base) or data-base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:06
28	13	(( compression and ((second or next) adj compression)) and 707/\$.ccls.) and (decompress\$4 or de-compress\$4)) and (database or (data adj base) or data-base) and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:07
29	9	(( compression and ((second or next) adj compression)) and 707/\$.ccls.) and (decompress\$4 or de-compress\$4)) and (database or (data adj base) or data-base) and record) and (search\$4 or quer\$6) near9 (key or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:13
30	0	(( compression and ((second or next) adj compression)) and 707/\$.ccls.) and classify\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:11
31	1	(( compression and (second\$5 adj compression)) and 707/\$.ccls.) and classify\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:11
32	6636	((compress\$4 and compression) and ((compress\$4 and compression ) same record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:13
33	205	((compress\$4 and compression) and ((compress\$4 and compression ) same record ) and classify\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:14
35	0	((compress\$4 and compression) and ((compress\$4 and compression ) same record ) and classify\$5) and 707/\$.ccls.) and (search\$4 or quer\$6) near9 (key and record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:13
34	16	((compress\$4 and compression) and ((compress\$4 and compression ) same record ) and classify\$5) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:15
36	96	((compress\$4 and compression) and ((compress\$4 and compression ) same record ) and classify\$5 with (record or data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:15
37	7	((compress\$4 and compression) and ((compress\$4 and compression ) same record ) and classify\$5 with (record or data or information)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:15
38	2	((compress\$4 and compression) and ((compress\$4 and compression ) same record ) and classify\$5 with (record or data or information)) and 707/\$.ccls.) and (decompress\$4 or de-compress\$4) and classif\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:17
-	48	("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 07:27

40109	(((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:20
11	((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:35
4	((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3 or parallel\$4)) and storage with (database or data-base or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:44
4	(((((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3 or parallel\$4)) and storage with (database or data-base or (data adj base))) and (databases! or data-bases! or (data adj bases!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:37
3	((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:35
5	((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3 or parallel\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:31
0	(((((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3 or parallel\$4)) and (result or reprot or output) with (databases! or data-bases! or (data adj bases!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:32

-	2	(((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3 or parallel\$4)) and (result or reprot or output) with (database or data-base or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:35
-	3	(((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3 or parallel\$4)) and (result or reprot or output) same (database or data-base or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:48
-	40109	(((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:35
-	4121	(((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:35
-	142	(((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3)) and (result or reprot or output) near9 (database or data-base or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:35
-	75	(((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3)) and (result or reprot or output) near9 (database or data-base or (data adj base))) and (storage) near6 (database or data-base or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:37
-	51	(((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3)) and (result or reprot or output) near9 (database or data-base or (data adj base))) and (storage) near6 (database or data-base or (data adj base))) and (databases! or data-bases! or (data adj bases!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:37
-	27	(((multiple or number or plurality or bank) adj processor) or multiprocessor or multi-processor)) and processor near9 (simultaneous\$3)) and (result or reprot or output) near9 (database or data-base or (data adj base))) and (storage) near6 (database or data-base or (data adj base))) and (databases! or data-bases! or (data adj bases!)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:42
-	21	(((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:45

-	11	((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and storage with (database or data-base or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:45
-	16	((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) with (database or data-base or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:45
-	9	((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and storage near6 (database or data-base or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:46
-	7	((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) with (database or data-base or (data adj base))) and storage near6 (database or data-base or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:46
-	1	(((((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) with (database or data-base or (data adj base))) and storage near6 (database or data-base or (data adj base))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:47
-	6	(((((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) with (database or data-base or (data adj base))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:47

	5	<p>((((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and (prices! or sales! or (stock adj level) or (stock with (product or item))) with (database or data-base or (data adj base))) and 707/\$.ccls.) and (result or reprot or output) same (database or data-base or (data adj base)))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:48
-	4	<p>((((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and (prices! or sales! or (stock adj level) or (stock with (product or item))) with (database or data-base or (data adj base))) and 707/\$.ccls.) and (result or reprot or output) same (database or data-base or (data adj base))) and (subset or sub-set)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:50
-	3	<p>(((((((("6584447" or "6532478" or "6480836" or "6446090" or "6356916" or "6324519" or "6256621" or "6301575" or "6199063" or "6154738" or "6085169" or "6058267" or "6049774" or "5918213" or "5835755" or "5819271" or "5832456" or "5796932" or "5734719" or "5715448" or "5406475" or "5403639" or "5237498" or "5146561").pn. ) and (prices! or sales! or (stock adj level) or (stock with (product or item)))) and (prices! or sales! or (stock adj level) or (stock with (product or item))) with (database or data-base or (data adj base))) and 707/\$.ccls.) and (result or reprot or output) same (database or data-base or (data adj base))) and (subset or sub-set)) and server</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:50